6414 - Rapid System concentric parabolic

Code: 237766-00



in high-gloss 99.85 anodized aluminium, 2µ thick.

GENERAL INFORMATION

Article	6414 - Rapid System concentric parabolic
Code	237766-00

DIMENSIONS AND WEIGHT

Length (mm)	629 mm
Width (mm)	253 mm
Height (mm)	120 mm
Weight (Kg)	0.2 kg

Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Monday, July 20, 2026

6414 - Rapid System concentric parabolic

Code: 237766-00

Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Monday, July 20, 2026

6414 - Rapid System concentric parabolic

Code: 237766-00



MATERIALS AND COLOURS

Housing	in high-gloss 99.85 anodized aluminium, 2µ thick.
Colour	Aluminium

WARRANTY

After sales warranty	0 yr

DOWNLOAD

DESIGNS

TechnicalDrawing 6414.dxf

Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Monday, July 20, 2026